

# Introducing the **X Series:** Darker Colours, Reduced Scratch Visibility



**019X**  
Dark Jet Black

**Meganite's** new X Series re-introduces a collection of much-loved dark colours with advancements that make them stronger than ever before.

Tiny white scratches on dark surfaces which see daily use by the public can ruin their high-end appeal. The X Series significantly reduces the appearance of scratches using a new blend of particles to give dark colours a richer appearance and reduces the sanding time to achieve your desired finish.



**019X**  
Jet Black  
Available Now!

- ✓ Reduced scratch visibility
- ✓ Reduced whitening when heated
- ✓ Richer, darker colours
- ✓ Reduced sanding time for perfect finish.



**Other Dark Solid Surface**  
Highly visible white scratches



**X Series**  
Reduced visibility dark scratches

Find Out What's New on  
Our Social Media!

Visit us on *Facebook*, *Instagram*, and *Pinterest* to experience our latest news and exciting innovations.

SHARE YOUR IMAGES:  
**#meganite**

# MEGANITE®

TECHNICAL  
BULLETINS

X SERIES (DARK)

---

## DOCUMENT PURPOSE

This document provides an overview on Meganite's X Series – dark color designs with high scratch performances.

We are adding more colors into the X Series. Below are the current offering:

- Dark Jet Black 019X

Meganite's X Series shares the same mechanical properties and can be fabricated using the same fabrication techniques as normal dark solid surfaces. However, with advanced dark technologies, X Series colors offers:

- Darker and richer in color appearance;
- Reduced scratch visibilities;
- Reduced whitening caused by impact;
- Easier sanding on darker colors;

# MEGANITE®

TECHNICAL  
BULLETINS

X SERIES (DARK)

---

## AVAILABLE SIZE

- 3660 x 760 x 12 mm

## X SERIES V.S. STANDARD SERIES

- X Series has darker and richer color performance v.s standard series;
- X Series has the similar surface resistance v.s. standard series;
- X Series can reduce the whitening effect during fabrication procedure. This may lead to less fabrication time. However, proper tools and fabrication procedures must be followed;
- X Series behaves similarly when cut, trimmed or seamed as the standard series, please refer to Meganite's technical bulletin "MEGANITE FABRICATION MANUEL" & "BRIGHT VIBRANT DARK SOLID COLOR FABRICATION GUIDE" for further information;
- X Series behaves similarly when thermoformed v.s. standard series. Some whitening is expected on tight radius (80 mm or less). Please refer to Meganite's technical bulletin "GENERAL THERMOFORMING INFORMATION" for further details;

IF YOU HAVE QUESTIONS, PLEASE CONTACT MEGANITE SOLID SURFACE REPRESENTATIVES, AUTHORIZED FABRICATORS, DISTRIBUTORS OR EMAIL US AT [INFO@MEGANITE.COM](mailto:INFO@MEGANITE.COM).

ALL TECHNICAL BULLETINS CAN BE FOUND @ [WWW.MEGANITE.COM](http://WWW.MEGANITE.COM)